



UNITED STATES PATENT AND TRADEMARK OFFICE

MN

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,048	11/20/2003	Steven Edward Klein	TUC920030150US1	5002
46917	7590	06/06/2007		
KONRAD RAYNES & VICTOR, LLP.			EXAMINER	
ATTN: IBM37			KIM, JUNG W	
315 SOUTH BEVERLY DRIVE, SUITE 210				
BEVERLY HILLS, CA 90212			ART UNIT	PAPER NUMBER
			2132	
			MAIL DATE	DELIVERY MODE
			06/06/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/721,048	KLEIN ET AL.	
	Examiner	Art Unit	
	Jung Kim	2132	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1,3,5-7,9-11,13,15-17 and 19-30 is/are rejected.
- 7) ☒ Claim(s) 2,4,8,12,14 and 18 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>see enclosed</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

1. Claims 1-30 are pending.

Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 21-30 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The specification defines an article of manufacture as "comprising a transmission media, such as a network transmission line, wireless transmission media, signals propagating through space, radio waves, infrared signals, etc." (pg. 15, lines 5-8) A signal is not recognized as one of the four statutory categories of invention.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1, 3, 5-7, 9-11, 13, 15-17, 19-21, 23, 25-27, 29 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by McCarty USPN 6,014,383 (hereinafter McCarty).

5. As per claim 11, McCarty discloses a system, comprising: a first port; a second port coupled to the first port (fig. 4, reference nos. 510 and 515); means for sending a link layer login from the first port to the second port (7:64-67; 8:22-23; 9:41-42); means for sending an application layer login from the first port to the second port to establish a first data path, wherein the first data path is from the first port to the second port (8:22-26); and means for sending another application layer login from the second port to the first port to establish a second data path, wherein the second data path is from the second port to the first port. (8:22-26; 9:3-5 and lines 42-45)

6. As per claim 13, McCarty discloses the system further comprising: means for restricting the second port to sending the another application layer login to the first port in response to determining that the second port has an initiated link layer login to the first port, wherein restricting the second port causes a retention of the established first data path from the first port to the second port, and wherein restricting the second port and sending the another application layer login causes bidirectional data transfer to take place between the first and second ports.

7. As per claim 15, McCarty discloses the system further comprising: a first fibre channel adapter coupled to the first port; a second fibre channel adapter coupled to the second port; a first storage unit coupled to the first fibre channel adapter; a second storage unit coupled to the second fibre channel adapter; one fibre channel link coupling the first port and second port, wherein the one fibre channel link is associated with the first and second data paths; and one or more bidirectional data transfer applications that are implemented in the first and second fibre channel adapters, wherein the one or more bidirectional data transfer applications may perform sending the link layer login, the application layer login, and the another application layer login. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)

8. As per claim 16, McCarty discloses a system, comprising: a first port; a second port coupled to the first port (fig. 4, reference nos. 510 and 515); means for establishing a first data path from the first port to the second port (col. 8:22-40); means for determining, at the first port, whether the second port has a second data path established from the second port to the first port (fig. 4, reference no. 512 and 517); means for sending an application layer logout, from the first port to the second port, in response to determining that the second port has the second data path established from the second port to the first port (col. 7:67-8:1; 8:3; 9:41-44); and means for terminating the first data path from the first port to the second port in response to receiving the application layer logout at the second port. (9:46-53)

9. As per claim 17, McCarty discloses wherein terminating the first data path from the first port to the second port does not terminate the second data path from the second port to the first port. Col. 9:42-45.

10. As per claim 19, McCarty discloses the system further comprising: a first fibre channel adapter coupled to the first port; a second fibre channel adapter coupled to the second port; a first storage unit coupled to the first fibre channel adapter; a second storage unit coupled to the second fibre channel adapter; one fibre channel link coupling the first port and second port, wherein the one fibre channel link associated with the first and second data paths; and one or more bidirectional data transfer applications that are implemented in the first and second fibre channel adapters, wherein the one or more bidirectional data transfer applications may perform establishing the first data path, determining whether the second port has a second data path established, sending an application layer logout, and terminating the first data path. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)

11. As per claim 20, McCarty discloses wherein the application level logout is sent via an application level logout frame, and wherein the first and second ports are capable of sending and receiving a link level login frame, a link level logout frame, an application level login frame and the application level logout frame over a fibre channel connection coupling the first and second ports. (col. 7:60-8:4; 9:33-53)

Art Unit: 2132

12. As per claim 21, McCarty discloses an article of manufacture, wherein the article of manufacture is capable of causing operations, the operations comprising: sending a link layer login from a first port to a second port (7:64-67; 8:22-23; 9:41-42); subsequently, sending an application layer login from the first port to the second port to establish a first data path, wherein the first data path is from the first port to the second port (8:22-26); and subsequently, sending another application layer login from the second port to the first port to establish a second data path, wherein the second data path is from the second port to the first port. (8:22-26; 9:3-5 and lines 42-45)

13. As per claim 23, McCarty discloses the operations further comprising: restricting the second port to sending the another application layer login to the first port in response to determining that the second port has an initiated link layer login to the first port, wherein restricting the second port causes a retention of the established first data path from the first port to the second port, and wherein restricting the second port and sending the another application layer login causes bidirectional data transfer to take place between the first and second ports. (col. 8:18-28 and lines 32-33; 8:41-9:31, 9:42-45)

14. As per claim 25, McCarty discloses the operations further comprising: wherein the operations are performed by one or more bidirectional data transfer applications that are implemented in first and second fibre channel adapters coupled to the first and second ports respectively, wherein the first and second fibre channel adapters are

Art Unit: 2132

coupled to first and second storage controllers respectively, and wherein the first and second ports are coupled via one fibre channel link associated with the first and second data paths. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)

15. As per claim 26, McCarty discloses an article of manufacture, wherein the article of manufacture is capable of causing operations, the operations comprising: establishing a first data path from a first port to a second port (col. 8:22-40); determining, at the first port, whether the second port has a second data path established from the second port to the first port (fig. 4, reference no. 512 and 517); sending an application layer logout, from the first port to the second port, in response to determining that the second port has the second data path established from the second port to the first port (col. 7:67-8:1; 8:3; 9:41-44); and terminating the first data path from the first port to the second port in response to receiving the application layer logout at the second port. (9:46-53)

16. As per claim 27, McCarty discloses wherein terminating the first data path from the first port to the second port does not terminate the second data path from the second port to the first port. Col. 9:42-45.

17. As per claim 29, McCarty discloses wherein the operations are performed by one or more bidirectional data transfer applications that are implemented in first and second fibre channel adapters coupled to the first and second ports respectively, wherein the

first and second fibre channel adapters are coupled to first and second storage controllers respectively, and wherein the first and second ports are coupled via one fibre channel link associated with the first and second data paths. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)

18. As per claim 30, McCarty discloses wherein the application level logout is sent via an application level logout frame, and wherein the first and second ports are capable of sending and receiving a link level login frame, a link level logout frame, an application level login frame and the application level logout frame over a fibre channel connection coupling the first and second ports. (col. 7:60-8:4; 9:33-53)

19. As per claims 1, 3, 5-7, 9 and 10, they are method claims corresponding to claims 11, 13, 15-17, 19-21, 23, 25-27, 29 and 30, and they do not teach or define above the information claimed in claims 11, 13, 15-17, 19-21, 23, 25-27, 29 and 30. Therefore, claims 1, 3, 5-7, 9 and 10 are rejected as being anticipated by McCarty for the same reasons set forth in the rejections of claims 11, 13, 15-17, 19-21, 23, 25-27, 29 and 30.

Allowable Subject Matter

20. Claims 2, 4, 8, 12, 14 and 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Communications Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jung W. Kim whose telephone number is 571-272-3804. The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Jung Kim
AU 2132
5/26/07